

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	22000	324/244,249,253-255.ccls. 336/180-185, 221-232.ccls. 438/3,10,14,15,17,48.ccls. 33/272,310,316,319,345,352,355R,361.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/09 07:59
L2	1633	1 and (driv\$3 excit\$3 generat\$3) near3 (coil winding)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/09 07:11
L3	1026	2 and (sens\$3 detect\$3 pick\$1up output measur\$3 probe transducer receiv\$3) near3 (coil winding)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/09 07:12
L4	1003	3 and (core yoke flux adj guide pole adj piece ferr\$3 ferr\$2magnet\$4 magnetic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/09 07:12
L5	316	4 and (substrate dielectric\$3 semiconduct\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/09 07:11
L6	259638	(driv\$3 excit\$3 generat\$3) near3 (coil winding)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/09 07:10
L7	78789	6 and (sens\$3 detect\$3 pick\$1up output measur\$3 probe transducer receiv\$3) near3 (coil winding)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/09 07:10

EAST Search History

L8	57741	7 and (core yoke flux adj guide pole adj piece ferr\$3 ferr\$2magnet\$4 magnetic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/09 07:10
L9	12451	8 and (substrate dielectric\$3 semiconduct\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/09 07:11
L10	5595	9 and (driv\$3 excit\$3 generat\$3) near3 (coil winding) with ("2" second two additional multipl\$3 plural\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/09 07:11
L11	3557	10 and (sens\$3 detect\$3 pick\$1up output measur\$3 probe transducer receiv\$3) near3 (coil winding) with ("2" second two additional multipl\$3 plural\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/09 07:12
L12	2947	11 and (core yoke flux adj guide pole adj piece ferr\$3 ferr\$2magnet\$4 magnetic) with ("2" second two additional multipl\$3 plural\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/09 07:38
L14	535	1 and (flux\$1gate flux\$1valve flux adj gate flux adj valve)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/09 07:40
L15	150	14 and (substrate dielectric\$3 semiconduct\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/09 07:40

EAST Search History

L16	3484	(flux\$1gate flux\$1 valve flux adj gate flux adj valve)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/09 07:40
L17	847	16 and (substrate dielectric\$3 semiconduct\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/09 07:40
L18	697	17 not 15	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/09 07:40
L19	697	18 not 5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/09 07:41
L20	626	19 not 12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/09 07:41
L21	688	324/249,253.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/09 07:41